JUTAI CarLink Mini USB automatic door opening system



JUTAI CarLink Mini USB advantage:

- 1. Carlink Mini USB smart sensor door opening system.
- 2. When the car is driven to the induction range of the motor signal, the door will open automatically without pressing the remote control. Your door only recognizes your car.
- 3. After the car is turned off, or the signal sensing out of the range, the automatic door closing function of the motor will close the door after a set time.
- 4. Completely realized that you can open and close the door without pressing any button without any key.
- 5. A transmitter can be equipped with 27 CarLink Mini USB.

Solution introduction

Your door only knows your car


When the car drives to the electric door, the door will be sensed and automatically opened



Automatic door closing, Worry-free

The vehicle is turned off, the transmitter is powered off, and the door will automatically close at the set time

Note: It is necessary to use the automatic door closing function of the door opener





Support maximum 27 cars in private garage add more transmitter carclink USB Lorem Ipsum 27 cars



Wide Application Let's start our smart life

Using CarLink Mini intelligent induction door opening system, it can control all the following types of door opening motors.



Compatible with any brands gate motors

As long as there is "door open interface", the automatic door opening system can be used


Product introduction

CarLink Mini USB intelligent induction door opening system is composed of transmitter, receiver and antenna. The transmitter is changed from the previous car cigarette lighter socket transmitter to a USB interface transmitter, which is not only more convenient, but also does not occupy the car cigarette lighter position, a simple but not simple set of equipment, open your intelligence life.

Products



Product manual



01 Transmitter

The transmitter is a USB interface plugged into the car, the LED light will flash when power is turned on, and a signal will be transmitted every 3s

02 Receiver

The receiver is connected to the "door open interface" of the door opener and receives signals







Increase the sensing distance between transmitter and receiver

Product size



For more about CarLink Mini USB gate solution, GSM, APP gate automation, remote control gate opening system, etc. Please feel free to contact us.





